callback

August 4, 2024

This file is part of CasADi.

CasADi -- A symbolic framework for dynamic optimization. Copyright (C) 2010-2023 Joel Andersson, Joris Gillis, Moritz Diehl, KU Leuven. All rights reserved. Copyright (C) 2011-2014 Greg Horn

CasADi is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

CasADi is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with CasADi; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

[1]: from casadi import *

1 A simple case of Callback

Callback allows the user to create functions that can be embedded into CasADi expressions. The user creates a class that inherits from this class and implements a subset of the virtual methods. Although Callback itself is implemented is C++, the virtual methods can be implemented in Python or MATLAB thanks to cross-language polymorphism as supported by the SWIG framework.

```
[2]: class Fac(Callback):
    def __init__(self, name, opts={}):
        Callback.__init__(self)
        self.construct(name, opts)
    def get_n_in(self): return 1
    def get_n_out(self): return 1
```

```
def eval(self, arg):
    x = arg[0]
    y = 1
    for i in range(int(x)):
        y*=(i+1)
    return [y]
```

[3]: fac = Fac('fac')

```
[4]: # Evaluate numerically
y = fac(4)
```

[5]: print("4! = ", y)

4! = 24

2 Using the function in a graph

[6]: x = MX.sym("x") y = fac(x)

- [7]: f = Function('f', [x],[y])
- [8]: y = f(5)
- [9]: print("5! = ", y)

5! = 120