

# veccat

September 30, 2024

This file is part of CasADi.

CasADi -- A symbolic framework for dynamic optimization.  
Copyright (C) 2010-2023 Joel Andersson, Joris Gillis, Moritz Diehl,  
KU Leuven. All rights reserved.  
Copyright (C) 2011-2014 Greg Horn

CasADi is free software; you can redistribute it and/or  
modify it under the terms of the GNU Lesser General Public  
License as published by the Free Software Foundation; either  
version 3 of the License, or (at your option) any later version.

CasADi is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public  
License along with CasADi; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

## 1 veccat

```
[1]: from casadi import *  
     from numpy import *
```

```
[2]: A = MX.sym("A",2)           # Here a matrix  
     B = MX.sym("B",2,1)        # There a matrix  
     C = MX.sym("C")           # And an other little matrix  
     D = MX.sym("D",Sparsity.lower(4)) # Triangular matrix
```

```
[3]: L = veccat(A,B,C,D)  
     print(L)
```

```
vertcat(A, B, C, vec(D))
```